

Selected Beach Health References

Information

Web links listed below provide reference material for information cited in LaMP updates on beaches and safe swimming. In addition, a collection of useful resources (journal articles, publications, published abstracts, and technical reports) has been compiled for future use.

Lake Michigan States' Beach Program WEB Pages

State of Illinois

Illinois Beach Monitoring Home page

www.idph.state.il.us/envhealth/beachhome.htm

Chicago Park District's Swim Report

www.chicagoparkdistrict.com/index.cfm/fuseaction/swim_report.home.cfm

Northern Illinois Lake Michigan beach notification Web site (Lake County Health Department, Wilmette Park District, Winnetka beaches and the City of Evanston)

www.earth911.org/waterquality/default.asp?cluster=17

State of Indiana

Indiana Department of Environmental Management Beach Home page

www.in.gov/idem/beaches

IDEM beach water quality notification Web site, www.earth911.org/waterquality

State of Michigan

Michigan Beach Monitoring home page

www.michigan.gov/deq/1,1607,7-135-3313_3686_3730---C1,00.html

Michigan Department of Environmental Quality – Great Lakes

www.michigan.gov/deq/1,1607,7-135-3313_3677---,00.html

Michigan Sea Grant

www.miseagrant.umich.edu/

State of Wisconsin

Wisconsin Beach Health Web site

www.wibeaches.us

Wisconsin Sea Grant

www.seagrant.wisc.edu/

The Door County Beach Contamination Source Identification Interim Report <http://map.co.door.wi.us/swcd/BeachInterimReport.pdf#search='door%20county%20beach%20contamination>

Milwaukee Metropolitan Sewerage District. 2003. Deep Tunnel Fact Sheet.

www.mmsd.com/tunnelfactsheet.html

U.S. EPA

Assessing and Monitoring Floatable Debris.

www.epa.gov/owow/oceans/debris/floatingdebris/

BEACH Watch home page including links to the BEACH Act, the *National Beach Guidance and Required Performance Criteria for Grants*, EPA's national beach water quality database, and technical and reference documents.

www.epa.gov/waterscience/beaches/

BEACON – Beach Advisory and Closing On-line Notification

www.epa.gov/waterscience/beacon/

Great Lakes National Program Office

www.epa.gov/glnpo/

Great Lakes Monitoring – The Swimmability Index

www.epa.gov/glnpo/glindicators/water/beachb.html

Great Lakes Strategy 2002 – A Plan for the New Millennium.

www.epa.gov/grtlakes/gls/gls04.html

National Beach Guidance and Required Performance Criteria for Grants www.epa.gov/waterscience/beaches/grants/guidance/index.html

National Epidemiological and Environmental Assessment of Recreational (NEEAR) Water Study: Water Quality

www.epa.gov/nheerl/near/index.html

National Pollutant Discharge Elimination System (NPDES)

http://cfpub1.epa.gov/npdes/home.cfm?program_id=5

U.S. EPA *Report to Congress on Impacts and Control of CSOs and SSOs* http://cfpub.epa.gov/npdes/cso/cpolicy_report2004.cfm

U.S. EPA *Report to Congress on Implementation and Enforcement of the CSO Control Policy*

http://cfpub.epa.gov/npdes/cso/cpolicy_report.cfm?program_id=5

Other Web Sites

Alliance for the Great Lakes

www.lakemichigan.org

Beaches in the Great Lakes Region

www.great-lakes.net/tourism/rec/beach.html#new

Centers for Disease Control - Healthy Swimming

www.cdc.gov/healthyswimming/

Council of Great Lakes Research Managers – Great Lakes-St. Lawrence Research Inventory

<http://ri.ijc.org>

Great Lakes Beach Association

www.great-lakes.net/glba/

Great Lakes Beach Association Annual Proceedings, Green Bay, WI, November, 2005.
www.great-lakes.net/glba/2005conference.html

Great Lakes BeachCast – Great Lakes Beach Information (many links from this site)
www.great-lakes.net/beachcast/nr_moreinfo.html

Great Lakes Commission
www.glc.org/

Great Lakes Information Network (GLIN)
www.great-lakes.net/

Great Lakes Protection Fund
www.glpf.org/

Great Lakes Research Consortium
www.esf.edu/glrc/

Great Lakes Sea Grant Network
www.greatlakesseagrant.org/

Great Lakes Water Institute – Bacterial Genetics Research Lab
www.uwm.edu/Dept/GLWI/ecoli/

International Association for Great Lakes Research
www.iaglr.org/

NOAA Great Lakes Environmental Research Laboratory (GLERL)
 Center of Excellence for Great Lakes and Human Health
www.glerl.noaa.gov/res/Centers/HumanHealth/

USGS Great Lakes Science Center
www.glsc.usgs.gov/

Additional Information

Alm, E., J. Burke, and A. Spain. 2003. Fecal indicator bacteria are abundant in wet sand at freshwater beaches. *Water Research* 37(16), 3978-3982.

Becker, G. and J. Kinzelman. Remediation & Best Management Practices, A City of Racine Perspective – 2004 International Association of Great Lakes and St. Lawrence Mayors' Conference, Chicago, IL, July 2004.

Bolton, F.J., S. B. Surman, K. Martin, D.R.A. Wareing, and T.J. Humphrey. 1999. Presence of campylobacter and salmonella in sand from bathing beaches. *Epidemiol. Infect.* 122, 7-13.

Bonde, G.J., 1966. Bacteriological methods for estimation of water pollution. *Health Lab. Sci.* 3, 124-128.

Brenner, K.P., C.C Rankin, Y.R. Roybal, G.R. Stelma, P.V. Scarpino, and A.P. Dufour. 1993. New medium for simultaneous detection of total coliforms and *Escherichia coli* in water. *Appl. Environ. Microbiol.* 59, 3534-3544.

Brown, A., J. Felt, G. Kleinheinz, and C. McDermot. 2004. Detection of *E.coli* contamination at Door County, WI beaches: Association with environmental factors. ASM North Central Branch Annual Meeting, Nov. 12-13, 2004, Madison, WI.

Bruesch, M.E. and P.A. Biedrzycki. 2002. Preliminary comparative analysis of two models used to predict *E.*

- coli* levels in recreational water in Milwaukee. Great Lakes Beach Conference, 2002 October 30. Chicago, Illinois.
- Byappanahalli, M. Solar and Temporal Effects on *Escherichia coli* Concentration at a Lake Michigan Swimming Beach, GLBA, Parma, OH, 2004.
- Byappanahalli, M., D. Shively, M. Nevers, M. Sadowsky and R. Whitman. 2003. Growth and survival of *Escherichia coli* and enterococci populations in the macro-algae *Cladophora* (Chlorophyta). FEMS Microbiol. Ecology 1575(2003): 1 – 9.
- Calderon, R.L., E.W. Mood, and A.P. Dufour. 1991. Health effects of swimmers and nonpoint sources of contaminated water. Int. J. Environ. Health Res. 1, 21-31.
- Dombek, P., L. Johnson, S. Zimmerley and M. Sadowsky. 2000. Use of repetitive DNA sequences and the PCR to differentiate *Escherichia coli* isolates from human and animal sources. Appl. Environ. Microbiol. 66: 2572-2577.
- Dorfman, M. 2004. Testing the Waters 2004-A Guide to Water Quality at Vacation Beaches. Natural Resources Defense Council (NRDC).
- Dufour, Alfred P. et al. National Epidemiological and Environmental Assessment of Recreational Water Study. Great Lakes Beach Association Annual Meeting, October 22, 2003. www.great-lakes.net/glba/2003conference.html
- Dufour, A.P., G. Anderson, and R.L. Whitman. 2002. New approaches to rapid testing of indicators of fecal contamination. Great Lakes Beach Conference, Chicago, Illinois, October 30, 2002. www.great-lakes.net/glba/2002conference.html
- DuFour, A. P. 1992. Water Quality Health Effects Criteria for Marine and Fresh Recreational Waters: A Review of Studies Carried Out in the United States of America, in Annex 1 of *Health Risks from Bathing and Marine Waters*, a report on a joint WHO/UNEP meeting. WHO regional office for Europe.
- Dufour, A. 1984. Bacterial Indicators of Recreational Water Quality. *Canadian Journal of Public Health*. 75(1):49-56.
- Felt, J., C. Otte, A. Brown, G.T. Kleinheinz and C. McDermott. 2004. Source-tracking of microbial contamination at Door County, WI. ASM North Central Branch Annual Meeting, Nov. 12-13, 2004, Madison, WI.
- Fogarty, L., S.K. Haack, M.J. Wolcott and R. Whitman. 2003. Abundance and characteristics of the recreational water quality indicator bacteria *Escherichia coli* and enterococci in gull faeces. J. Appl. Microbiol. 94(5): 865 – 878.
- Foran, J. 2003. Closings and swimming advisories at Lake Michigan beaches near Racine, Wisconsin – sources, trends, and research. A report preped for the S. C. Johnson Fund, Racine, Wisconsin (5 February, 2003).
- Garza E.L, and R.L. Whitman. 2004. The nearshore benthic invertebrate community of southern Lake Michigan and its response to beach nourishment J. Great Lakes Research 30 (1): 114-122.
- Geldreich, E.E. 1978. Bacterial populations and indicator concepts in feces, sewage, stormwater and solid wastes. In: G. Berg (Ed.), Indicators of viruses in water and food, pp. 51-97. Ann Arbor Science Publishers, Inc., Ann Arbor, MI.
- Guan, S., R. Xu, S. Chen, J. Odumeru and C. Gyles. 2002. Development of a procedure for discriminating among *Escherichia coli* isolates from animal and human sources. Appl. Environ. Microbiol. 68: 2690 – 2698.
- Hatch, J.J., 1996. Threats to public health from gulls (Laridae). Int. J. Environ. Health Res. 6, 5-16.
- Heath Kelsey, R., I. Geoffrey Scott, E. Dwayne Porter, B. Thompson and L. Webster. 2003. Using multiple antibiotic resistance and land use characteristics to determine sources of fecal coliform bacterial pollution. Environ. Monitoring Assess. 81(1-3): 337 – 348.
- Irvine, K.N. and G.W. Pettibone. 1993. Dynamics of indicator bacteria populations in sediment and river water near a combined sewer outfall. Environ. Technol. 14, 531-542.

- Jeter, S., G. Kleinheinz, and C. McDermott. 2004. *E.coli* and *Staphylococcus aureus* as indicators of contamination of recreational water. ASM North Central Branch Annual Meeting, Madison, WI, Nov. 12-13, 2004.
- Kinzelman, J. and J. Hiller. 2005. Incorporating Education and Outreach in the Re-Engineering of a Storm Water Outfall Impacting Recreational Water Quality at Two Public Bathing Beaches on Lake Michigan. Current: The J. of Marine Education. (*submitted for publication*)
- Kinzelman, J., A. Dufour, L. Wymer, G. Rees, and R. Bagley. 2004. Composite Sampling as an Alternative Technique for the Determination of Bacterial Indicators in Recreational Waters - U.S. EPA National Beaches Conference, San Diego, CA, October, 2004.
- Kinzelman, J. 2004. The Effectiveness of Spatial Distribution Studies in the Development of Successful, Cost-Effective, Targeted Remediation Efforts - U.S. EPA National Beaches Conference, San Diego, CA, October, 2004.
- Kinzelman, J., A. Dufour, L. Wymer, G. Rees, and R. Bagley. 2004. Comparison of Multiple Point and Composite Sampling for the Purpose of Monitoring Bathing Water Quality. (*submitted for publication*)
- Kinzelman, J. 2004. The Improvement of Lake Michigan Surface Water Quality through Targeted Remediation Efforts – Wisconsin Environmental Health Association, Joint Educational Conference, Baraboo, WI, September, 2004.
- Kinzelman, J. 2004. Integrating Research and Beach Management Strategies for the Improvement of Public and Environmental Health - Sustainable Beaches Summit, Sandestin, FL, March, 2004.
- Kinzelman J, SL McLellan, RC Bagley, S Pedley, K Pond, and G. Rees. 2004. Integrating Research and Beach Management Strategies for the Improvement of Public and Environmental Health. Annual Report to the SC Johnson Fund.
- Kinzelman, J., S. L. McLellan, A. D. Daniels, S. Cashin, A. Singh, S. Gradus, and R. C. Bagley. 2004. Non-point Source Pollution: Determination of Replication versus Persistence of *Escherichia coli* in Surface Water and Sediments with Correlation of Levels to Readily Measurable Environmental Parameters, J. Wat. Health 2(2): 103-114.
- Kinzelman, J. 2004. Wisconsin Water – Our Way of Life: Protect Racine Beach Health Monitoring, p. 15. In L. Wessel and S. Cook (ed.), Wisconsin Water – Our Way of Life: an Action Guide for Community Leaders, July 2004. Madison Environmental Group, Madison, WI.
- Kinzelman, J. 2003. Assessing Current Beach Management Practices to Reduce Bacterial Contamination of Surface Water - Public Beach Closings Conference, Milwaukee, WI, May, 2003.
- Kinzelman *et al.* 2003. Characterization of Enterococci in a Freshwater Environment: Applicability as an Indicator of Lake Michigan Recreational Water Quality – American Society for Microbiology, Washington, DC, May, 2003.
- Kinzelman, J., C. Ng, E. Jackson, S. Gradus and R. Bagley. 2003. Enterococci as indicators of Lake Michigan recreational water quality: comparison of two methodologies and their impacts on public health regulatory events. Appl. Environ. Microbiol. 69(1): 92-96.
- Kinzelman, J. 2003. The Influence of Lake Shore Management Practices on *Escherichia coli* Densities in Foreshore Sands – A Study of North Beach at Racine, WI – Research Symposium, University of Surrey, Guildford, UK, February, 2003.
- Kinzelman *et al.* 2002. *E. coli* Densities in Sands of Two Southwestern Lake Michigan Beaches: Implications for Beach Management – Presented at the 5th International Symposium on Sediment Quality Assessment – SQA5 conference, Chicago, October, 2002 [www.aehms.org, *Online*]
- Kleinheinz, G. and E. Englebert. 2005. *Cladophora* and the beach: Implications for Public Health. *In-*press: Technical Report, UW-Milwaukee WATER Institute.
- Kleinheinz, G.T., McDermott, C.M., and R.W. Sampson. 2003. Recreational Water: Microbial Contamination and

- Human Health. In: C. Meine (Ed.), Wisconsin's waters: A confluence of 16 Perspectives. Transactions of the Wisconsin Academy of Sciences, 90:75-86.
- Lauber, C., L. Glatzer and R. Sinsabaugh. 2003. Prevalence of pathogenic *Escherichia coli* in recreational waters. *J. Great Lakes Res.* 29(2): 301 – 306.
- Levesque, B., P. Brousseau, F. Bernier, E. Dewailly, and J. Joly. 2000. Study of the bacterial content of ring-billed gull droppings in relation to recreational water quality. *Wat. Res.* 34, 1089-1096.
- Levesque, B., P. Brousseau, P. Simard, E. Dewailly, M. Meisels, D. Ramsay, D., and Joly, J., 1993. Impact of the ring-billed gull (*Larus delawarensis*) on the microbiological quality of recreational water. *Appl. Environ. Microbiol.* 59, 1228-1230.
- McCauley, D. J. 2001. Stormwater Source Identification, Sampling and Analysis at Select Storm Drains and Tributaries to Grand Traverse Bay (Lake Michigan). A Report to the Watershed Center Grand Traverse Bay. Great Lakes Environmental Center
Traverse City, MI.
- McDermott, C. Source Tracking of Microbial Contamination at Lake Michigan (Door County, WI) Beaches Using Various Methods, GLBA, Parma, OH, 2004.
- McDonald, A., Kay, D., A. Jenkins, 1982. Generation of fecal and total coliform surges by stream flow manipulation in the absence of normal hydrometeorological stimuli. *Appl. Environ. Microbiol.* 44, 292-300.
- McLellan, S.L., O.A. Olapade, E.T. Jensen and M. Depas. 2005. Sequence analysis of microbial communities on *Cladophora* mats along coastal Lake Michigan. American Society of Microbiology 105th General Meeting. Atlanta, GA, May, 2005.
- McLellan, S.L. 2004. Genetic diversity of *Escherichia coli* isolated from urban rivers and beach water. *Appl. Environ. Microbiol.* 70:4858-65.
- McLellan, S.L., E.T. Jensen, and C.O. Scopel. 2004. Comparison of bacterial source tracking methods in an urban coastal system, the Great Lakes. Environmental Pollution Source Tracking Workshop of Bathing Waters. Robens Centre for Environmental and Public Health, University of Surrey, Guildford, UK, January 11-13, 2004.
- McLellan, S., A. Daniels and A. Salmore. 2003. Genetic characterization of *Escherichia coli* populations from host sources of fecal pollution by using DNA fingerprinting. *Appl. Environ. Microbiol.* 69(5): 2587-2594.
- McLellan SL, AD Daniels, AK Salmore. 2002. Elevated indicator bacteria levels at South Shore Beach: *Escherichia coli* source detection using repetitive element anchored PCR. Great Lakes WATER Institute Technical Report contribution #432.
- Mendes, B., M.J. Nascimento, and J.S. Oliveira. 1993. Preliminary characterization and proposal of microbiological quality standard of sand beaches. *Water Sci. Technol.* 27, 453-456.
- Murray, C., B. Sohngen, and L. Pendleton. 2001. Valuing Water Quality Advisories and Beach Amenities in the Great Lakes. *Water Resources Research.* 37(10) 2583 - 2590.
- Nevers, M. Fixed and Random Factors Affecting *E. coli* Results at Southern Lake Michigan Beaches, GLBA, Parma, OH 2004.
- Olyphant, G.A. and R.L. Whitman. 2004. Elements of a predictive model for determining beach closures on a real time basis: The case for 63rd Street beach Chicago. *Environmental Monitoring and Assessment* (98(1-3), 175-190.
- Osinga, V., R. Sampson, S. Swiatnicki, G.T. Kleinheinz, and C.M. McDermott. 2004. Survival of a Beach-Recovered *E. coli* isolate in a Lake Water Microcosm. ASM North Central Branch Annual Meeting, Madison, WI, Nov. 12-13, 2004.
- Otte, C., D. Horn, J. Okon, T. Sandrin, G. Kleinheinz, and C. McDermot. 2004. Monitoring and Molecular Source-tracking of *Escherichia coli* on Door County, WI beaches. ASM North Central Branch Annual Meeting, Nov. 12-13, 2004, Madison, WI.

- Parramoure, E. J. Kinzelman, and R. Bagley. Lake Michigan Surface Water Quality: Evaluating the Diurnal Variation of *E. coli* and its Response to Environmental Parameters, GLBA, Parma, OH 2004.
- Pfister, M. Reducing the Sources: The Lake County, Illinois, Experience, GLBA, Parma, OH 2004.
- Pfister, M. 2002. Factors that affect *E. coli* concentrations at Lake Michigan beaches in Lake County, Illinois, presented at 2nd Annual Great Lakes Beach Association Annual Meeting, Chicago, IL, October, 2002.
- Rabinovici, S.J.M., R.L. Bernknopf, D.L., Coursey, A.M. Wein, and R.L. Whitman. *et al.* 2004. Economic and health risk trade-offs of swim closures at a Lake Michigan beach. *Environ. Sci. Technol.* 38(10):2737-2745.
- Rabinovici, S.J. and R.L. Whitman. 2002. Modeling the variability of *Escherichia coli* at West Beach, Indiana, using GIS: Implications for beach management. Great Lakes Beach Conference, October 30, 2002, Chicago, Illinois.
- Rediski, R. Beach Monitoring in Muskegon County, Michigan: A Partnership between the Annis Water Resources Institute at Grand Valley State University and the Muskegon County Health Department. GLBA, Parma, OH 2004.
- Sabat, G., P. Rose, W. Hickey and J. Harkin. 2000. Selective and sensitive method for PCR amplification of *Escherichia coli* 16S RNA genes in soil. *Appl. Environ. Microbiol.* 66(2): 844 – 849.
- Sampson, R., S. Swiatnicki, V. Osinga, J. Supita, C. McDermott, and G. Kleinheinz. 2004. Effect of temperature and sand on *E. coli* survival in a lake water microcosm. *Submitted: Journal of Water and Health.*
- Scopel, C.O. and S.L. McLellan. 2004. Sources and nearshore transport of *Escherichia coli* at Lake Michigan beaches. *Appl. Environ. Microbiol.* (*submitted for publication*)
- Scott, T. M., T.M. Jenkins, J. Lukasik and J.B. Rose. 2005. Potential Use of a Host Associated Molecular Marker in *Enterococcus faecium* as an Index of Human Fecal Pollution; *Environ. Sci. & Tech.* 39: (1) 283 – 287
- Scott, R.M., J.B. Rose, T.M. Jenkins, S.R. Farrah and J. Lukasik. 2002. Microbial Source Tracking: Current Methodology and Future Directions. *Appl. Environ. Microbiol.* 68 (12):5796-5803.
- Selvakumar, A., M. Borst, M. Boner, and P. Mallon. 2002. Effects of Sample Holding Time on Concentrations of Microorganisms in Water Samples. *Water Environ. Research* 76 (1): 64 – 72.
- Seyfried, P., Tobin, R., Brown, N., Ness, P., 1985a. A prospective study of swimming related illness. I. Swimming-associated health risk. *American Journal of Public Health.* 75(9):1068-70.
- Seyfried, P., Tobin, R., Brown, N., Ness, P., 1985b. A prospective study of swimming related illness. II. Morbidity and the microbiological quality of water. *American Journal of Public Health.* 75(9):1071-1075.
- Slifko, T.R., D.E. Huffman, D. Bertrand, J.H. Owens, W. Jakubowski, C.N. Haas, and J.B. Rose. 2002. Comparison of Animal Infectivity and Cell Culture Systems for Evaluation of *Cryptosporidium parvum* oocysts. *Exp. Parasit.* 101:97-106.
- Ting, W.T.E., C.C. Tseng, D.S. Johnson, L. Dominguez, J. Vander Hoogt, M. Saluta, and R.L. Whitman. 2000. Genetic diversity of *Escherichia coli* isolated from Lake Michigan water, beach sand, and seagull droppings as revealed by random amplified polymorphic DNA fingerprints. 100th General Meeting of the American Society for Microbiology. 2000 May 21-25. Los Angeles, California.
- Tseng, C., E. Ting, D. Johnson, M. Suluta, and R. Dunst. 2001. RAPD fingerprinting as a potential means for differentiating human and animal *E. coli*. *Life Science News* (7) 10-11.
- United States Geologic Survey. 1998. How do we determine when the beaches are safe for swimming? USGS Fact Sheet FS-112-98.
- Wade, T., N. Pai, J. Eisenberg and J. Colford. 2003. Do U.S. EPA water quality guidelines for recreational waters prevent gastrointestinal illness? A systematic review and meta-analysis. *Environ. Health Perspectives* doi:10.1289/ehp.6241 [online <http://dx.doi.org>]
- Whitman, R.L. and M.B. Nevers. 2004. *Escherichia coli* sampling reliability at a frequently closed Chicago

- beach: Monitoring and management implications. *Environmental Science & Technology* 39, 4241-4246.
- Whitman, R.L. M.B. Nevers, G.C. Korinek, and M.N. Byappanahalli. 2004. Solar and temporal effects on *Escherichia coli* concentration at a Great Lakes swimming beach. *Applied and Environmental Microbiology* 70, 4276-4285.
- Whitman, R.L., M.B. Nevers, and P.J. Gerovac. 1999. Interaction of ambient conditions and fecal coliform bacteria in southern Lake Michigan waters: monitoring program implications. *Nat. Areas J.* 19, 166-171.
- Whitman, R., Gochee, A., Dustman, W., and K. Kennedy. 1995. Use of coliform bacteria in assessing human sewage contamination. *Natural Areas Journal*. 15:227-233.
- Whitman, R.L. T.A. Sobat, W.A. Dustman, and S.W. May. 1991. Fecal contamination source determination of Derby Ditch. Indiana Dunes National Lakeshore, National Park Service, Porter, Indiana.
- World Health Organization. 1998. Guidelines for safe recreational water environments: Coastal and fresh-water.

Selected Lake Michigan Mass Balance References

- Ambrose, R.B., Jr., S.I. Hill, and L.A. Mulkey. 1983. *User=s Manual for the Chemical Transport and Fate Model (TOXIWASP), Version I*. U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory, Athens, Georgia. EPA-600/3-83-005, 178 pp.
- Ambrose, R.B., T.A. Wool, J.P. Connolly, and R.W. Schanz. 1988. *WASP4, A Hydrodynamic and Water Quality Model - Model Theory, User=s Manual and Programmer=s Guide*. U.S. Environmental Protection Agency, Office of Research and Development, ERL-Athens, Georgia. EPA-600/3-87-039, 297 pp.
- Ambrose, R.B., J.L. Martin, and T.A. Wool. 1993. *WASP5, A Hydrodynamic and Water Quality Model - Model Theory, User=s Manual and Programmer=s Guide*. U.S. Environmental Protection Agency, Office of Research and Development, ERL-Athens, Georgia.
- Bamford, H.A., D.L. Poster and J.E. Baker. 2000. Henry's Law Constant of polychlorinated biphenyl congeners and their variation with temperature. *J. Chem. Engin. Data* 45:1069-1074.
- Bamford, H.A., D.L. Poster and J.E. Baker. 2002. Using extrathermodynamic relationships to model temperature dependance of Henry's Law Constants of 209 PCB congeners. *Environ. Sci. Technol.* 36: 4395-4402.
- Beletsky, D., W.P. O=Connor, and D.J. Schwab. 1997. Hydrodynamic Modeling for the Lake Michigan Mass Balance Project. In: G. Delic and M.F. Wheeler (eds.), *Next Generation Environmental Models and computational Methods*, Chapter 13, pp. 125-128. Soc. Industr. Appl. Mathemat., Philadelphia, PA.
- Bertram, P., G.Warren and P. Horvatin. 2000. Lake Michigan (USA) Mass Balance Study: modeling fate, transport and bioaccumulation of PCBs, atrazine, trans-nonachlor and mercury. *Verh. Internat. Verein. Limnol.* 27:795-799.
- Endicott, D.D., W.L. Richardson, and D.J. Kandt. 2005. 1992 MICHTOX: A Mass Balance and Bioaccumulation Model for Toxic Chemicals in Lake Michigan. Part 1 in Rossmann, R. (ed.), *MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan*. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Laboratory, Mid-Continent Ecology Division, Large Lakes Research Station, Grosse Ile, Michigan. EPA/600/R-05/158, 140 pp.
- Endicott, D.D. 2005. 2002 Lake Michigan Mass Balance Project: modeling total polychlorinated biphenyls in using the MICHTOX model. Part 2 in Rossmann, R. (ed.), *MICHTOX: A mass balance and bioaccumulation model for toxic chemicals in Lake Michigan*. U.S. Environmental Protection Agency, Office of Research and Development, National Health and Environmental Effects Laboratory, Mid-Continent Ecology Division, Large Lakes Research Station, Grosse Ile, Michigan. EPA/600/R-05/158, 140 pp.
- Franz, T.P.; Eisenreich, S.J.; Holsen, T. 1998. Dry deposition of particulate polychlorinated biphenyls and polycyclic aromatic hydrocarbons to Lake Michigan. *Environ. Sci. Technol.* 32(23): 3681-3688.
- Green, M.L.; DePinto, J.V.; Sweet, C.W.; Hornbuckle, K.C. 2000. Regional Spatial and Temporal Interpolation of Atmospheric PCBs: Interpretation of Lake Michigan Mass Balance Data. *Environ. Sci. Technol.* 34(9): 1833-1850.
- Hall, D.W. and D. Robertson. 1998. Estimation of Contaminant Loading from Monitored and Unmonitored Tributaries to Lake Michigan for the USEPA, Lake Michigan Mass Balance Study. Quality Systems and Implementation plan. Report to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI., 19pp.

- Hall, D.W.; Behrendt, T.E.; Hughes, P.E. 1998. Temperature, pH, conductance, and dissolved oxygen in cross-sections of 11 Lake Michigan Tributaries, 1994-5. U.S. Geological Survey Open-File Report 98-567, 85pp.
- Hall, D.W. 2000a. Lake Michigan Mass Balance Tributary Loads: Atrazine and Metabolites. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hall, D.W. 2000b. Lake Michigan Mass Balance Tributary Loads: Nutrients, Suspended Solids, Carbon, Chlorophyll, and Chloride. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hall, D.W. 2000c. Lake Michigan Mass Balance Tributary Loads: Regression, Stratified Beale Ratio Estimator, and Descriptive Statistics for all parameters with the exception of mercury and PCB congeners. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hall, D.W., F. Blondin, and G.J. Warren. 2001. Lake Michigan Mass Balance Tributary Loads: PCB congeners. Data Report/Spreadsheet to the USEPA Great Lakes National Program Office, Chicago, IL. U.S. Geological Survey, Middleton, WI.
- Hawley, N. 1999. Sediment resuspension and transport in Lake Michigan. Final report to the USEPA, Office of Research and Development, NHEERL, MED- Duluth, MN and Grosse Ile, MI. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Ann Arbor, MI. 240 pp.
- Holson, T.M.; Keeler, G.J.; Noll, K.N.; Fang, G.; Lee, W.; Lin, J. 1993. Dry Deposition and Particle Size Distributions Measured during the Lake Michigan Urban Air Toxics Study. *Environ. Sci. Technol.* 27(7): 1327-1333.
- Hornbuckle, K.C.; Sweet, C.W.; Pearson, R.F.; Swackhamer, D.L.; Eisenreich, S.J. 1995. Assessing annual water-air fluxes of polychlorinated biphenyls in Lake Michigan. *Environ. Sci. Technol.* 29(4): 869.
- HydroQual, Inc. 1996. Green Bay food chain model documentation. Report to the U.S. Environmental Protection Agency, Office of Research and Development, NHEERL, Mid-Continent Ecology Division-Duluth, Large Lakes Research Station, Grosse Ile, Michigan, 107pp.
- Madenjian, C.P.; DeSorcie, T.J.; Stedman, R.M.; Brown, Jr., E.H.; Eck, G.W.; Schmidt, L.J.; Hesselberg, R.J.; Chernyak, S.M.; Passino-Reader, D.R. 1999. Spatial Patterns in PCB Concentrations of Lake Michigan Lake Trout. *J. Great Lakes Res.* 25(1): 149-159
- Madenjian, C.P.; Hesselberg, R.J.; Desorcie, T.J.; Schmidt, L.J.; Stedman, R.M.; Quintal, R.T.; Begnoche, L.J.; Passino-Reader, D. 1998. Estimate of Net Trophic Transfer Efficiency of PCBs to Lake Michigan Lake Trout from Their Prey. *Environ. Sci. Technol.* 32(7): 886-891.
- Miller, S.M.; Sweet, C.W.; DePinto, J.V.; Hornbuckle, K.C. 2000. Atrazine and Nutrients in Precipitation: Results from the Lake Michigan Mass Balance Study. *Environ. Sci. Technol.* 34(1): 55-61.
- Miller, S.M., M.L. Green, J.V. DePinto and K.C. Hornbuckle. 2001. Results from the Lake Michigan Mass Balance Study: Concentrations and fluxes of atmospheric polychlorinated biphenyls and trans-nonachlor. *Environ. Sci. Technol.* 35: 278-285.
- Pauer, J.J., W. Melendez, K.W. Taunt, and R.G. Kreis, Jr. 2006. Resurrections of the Lake Michigan Eutrophication Model, MICH1. Submitted to the Journal of Great Lakes Research.
- Richardson, W.L., D.D. Endicott, R.G. Kreis, Jr., and K.R. Rygwelski. 1999 (2004). *Quality Assurance Plan for Mathematical Modeling - The Lake Michigan Mass Balance Project*. USEPA, Office of Research and Development, NHEERL, MED, Community-Based Scientific Support Staff, Large Lakes Research Station,

Grosse Ile, MI, 233 pp.

- Richardson, W.L., D.D. Endicott, and R.G. Kreis, Jr. 1999. *Managing Toxic Substances in the Great Lakes: The Lower Fox River/Green Bay Mass Balance Study*. USEPA Report, ERL-Duluth, LLRS, Grosse Ile. In Internal Review.
- Robbins, J.A., N.R. Morehead, R.W. Rood, D.N. Edginton, and S. Meyer. 1999. Accumulation and near-surface mixing of sediments in Lake Michigan as determined for the Lake Michigan Mass Balance Program, Volumes 1 and 2. Project Report. Final report to the USEPA, Office of Research and Development, NHEERL, MED- Duluth, MN and Grosse Ile, MI. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Ann Arbor, MI.
- Rodgers, P.W. and D. Salisbury. 1981. Water Quality Modeling of Lake Michigan and Consideration of the Anomalous Ice Cover of 1976-1977. *J. Great Lakes Res.*, 7(4):467-480.
- Rygwelski, K. R., W. L. Richardson, and D. D. Endicott, 1999. A screening-level model evaluation of atrazine in the Lake Michigan basin. *J. Great Lakes Res.* 25:94-106.
- Schwab, D. And D. Beletsky. 1998. Lake Michigan Mass Balance Study: Hydrodynamic modeling project. Final report to the USEPA, Office of Research and Development, NHEERL, MED- Duluth, MN and Grosse Ile, MI. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, Ann Arbor, MI. 53 pp.
- Stow, C.A. 1995. Factors associated with PCB concentrations in Lake Michigan salmonids. *Environ. Sci. Technol.* 34: 361-367.
- Stow, C.A., S.R. Carpenter, and L.A. Eby. 1995. Evidence that PCBs are approaching stable concentrations in Lake Michigan fishes. *Ecological Applications* 5(1):248-260.
- Tierney, D.P., P.A. Nelson, B.R. Cristensen, and S.M.K. Watson. 1999. Predicted atrazine concentrations in the Great Lakes: implications for biological effects. *Journal of Great Lakes Research* 25(3): 455-467.
- Thomann, R.V. and J.P. Connolly. 1984. Model of PCB in the Lake Michigan Lake Trout Food Chain. *Environ. Sci Technol.*, 18(2):65-71.
- U.S. EPA. 1993. *Reducing Uncertainty in Mass Balance Models of Toxics in the Great Lakes B Lake Ontario Case Study*. Great Lakes Program, State University of New York at Buffalo.
- USEPA, 1995. *Lake Michigan Mass Balance Project: Modeling Work Plan*. Office of Research and Development, National Health and Environmental Effects Research Laboratory, Mid-Continent Ecology Division, Community-Based Science Support Staff, Large Lakes Research Station, Grosse Ile, Michigan, 37 pp.
- U.S. Environmental Protection Agency. October 1997. *Lake Michigan Mass Budget/Mass Balance Work Plan*. USEPA Great Lakes National Program Office., Chicago, IL. EPA-905-R-97-016, 145pp.
- U.S. Environmental Protection Agency. June 1997. *Lake Michigan Mass Balance Study (LMMB) Methods Compendium Volume 1: Sample Collection Techniques*. Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-012a, 403pp.
- U.S. Environmental Protection Agency. June 1997. *Lake Michigan Mass Balance Study (LMMB) Methods Compendium Volume 2: Organic and Mercury Sample Analysis Techniques*. Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-012b, 532pp.
- U.S. Environmental Protection Agency. June 1997. *Lake Michigan Mass Balance Study (LMMB) Methods*

Compendium Volume 3: Metals, Conventional, Radiochemistry, and Biomonitoring Sample Analysis Techniques. Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-012c, 505pp.

U.S. Environmental Protection Agency. October 1997. *Lake Michigan Enhanced Monitoring Quality Assurance Program Plan.* Great Lakes National Program Office, Chicago, IL. EPA 905-R-97-017, 134pp.

U.S. Environmental Protection Agency. 2001. *Results of the Lake Michigan Mass Balance Study: Atrazine Data Report,* December 2001, USEPA Great Lakes National Program Office, Chicago, IL. 905R-01-010

U.S. Environmental Protection Agency. 2001. *Results of the Lake Michigan Mass Balance Study: Polychlorinated Biphenyls and trans-Nonachlor Data Report,* December 2001, USEPA Great Lakes National Program Office, 905R-01-011

U.S. Environmental Protection Agency. 2001. *The Lake Michigan Mass Balance Study: Quality Assurance Report,* December 2001, USEPA Great Lakes National Program Office, 905R-01-013

U.S. Environmental Protection Agency. 2004. R. Rossmann (ed.) *Results of the Lake Michigan Mass Balance Project: PCB Modeling Report.* USEPA, Office of Research and Development, NHEERL, MED - Duluth, MN and Grosse Ile, MI. In revision.

Van Hoof, P. 2000. *PCBs in Lake Michigan Surficial Sediments.* Report to the USEPA Great Lake National Program Office, Chicago, IL. U.S. Department of Commerce, National Atmospheric and Oceanic Administration, Ann Arbor, MI.

Velleux, M. L. and D. Endicott, 1994. Development of a mass balance model for estimating PCB export from the Lower Fox River to Green Bay. *J. Great Lakes Res.* 20(2):416-434.

Velleux, M., D. Endicott, J. Steuer, S. Jaegar, and D. Patterson, 1995. Long-term simulation of PCB export from the Fox River to Green Bay. *J. Great Lakes Res.* 21(3):359-372.

Velleux, M. S. Westenbroek, J. Ruppel, M. Settles, and D.E. Endicott. 2001. *A User's Guide to IPX, the In-Place Pollutant Export Water Quality Modeling Framework, Version 2.7.4.* U.S. Environmental Protection Agency, Office of Research and Development, NHEERL, MED, Grosse Ile, MI. EPA/600/R-01/074, 179 pp.

Wanninkhoff, R.J. 1992. Relationship between gas exchange and wind speed over the ocean. *J. Geophys. Res.*, 97: 7373-7381.

SOURCES OF INFORMATION RELATED TO THE LAKE MICHIGAN MASS BALANCE STUDY

HOME PAGES:

Lake Michigan Mass Balance Study

<http://www.epa.gov/glnpo/lmmb/index.html>

U.S. EPA Great Lakes National Program Office

<http://www.epa.gov/glnpo>

U.S. EPA Large Lakes and Rivers Forecasting Research Branch

http://www.epa.gov/med/grosseile_site/index.html

Lake Michigan Lakewide Management Plan

<http://www.epa.gov/glnpo/michigan.html>

LAKE MICHIGAN MASS BALANCE STUDY REPORTS AND PUBLICATIONS

Lake Michigan Mass Balance Study Project Reports:

The Lake Michigan Mass Balance Project: Quality Assurance Plan for Mathematical Modeling, 1999 (March 2004)

http://www.epa.gov/med/grosseile_site/qa_lmmbp.pdf

Results of the Lake Michigan Mass Balance Study: Polychlorinated Biphenyls and trans-Nonachlor Data Report. April 2004

<http://www.epa.gov/glnpo/lmmb/results/pcb/index.html>

Results of the Lake Michigan Mass Balance Study: Atrazine Data Report. December 2001

http://www.epa.gov/glnpo/lmmb/results/atra_datarpt.html

Lake Michigan Mass Balance Methods Compendium

<http://www.epa.gov/glnpo/lmmb/methods/index.html>

Links to other peer-reviewed journal publications (citations and abstracts) that resulted from the Lake Michigan Mass Balance Study:

<http://www.epa.gov/glnpo/lmmb/results/pubs.html>